

TELEK, Eva; JUHASZ, Jozsef, dr.; MAGO, Kalman; KOVACSHAZY, Frigyes.

Debate about the training of engineers. Musz elet 19 no.9:2 23 Ap 164.

1. Chairman, Educational Committee, Hungarian Hydrologic Society (for Juhasz). 2. Temporary Secretary General, Scientific Association of Telecommunication Engineering (for Mago). 3. Chairman, Educational Committee, Section of Construction, Scientific Association of Transportation (for Kovacshazy).





APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

RETSAGI. G.: TELEK. K.

Penicillin blood level determination after injection of Ice Bis-modillin. Orv. hetil. 93 no. 32:933-935 10 Aug 1952. (CLML 23:5)

1. Doctors. 2. Second Internal Clinic (Director -- Prof. Dr. Imre Haynal), Budapest Medical University.

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

TELEKESI, Gezane

What form has been most successful in supervising political schools? Munka 12 no.9:15 S '62.

1. Kereskedelmi, Penzugyi es Vendeglatoipari Dolgozok Szakszervezete kulturalis osztalyanak vezetoje.

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

res la prima resenta coma de la comercia del la comercia de la comercia del la comercia de la comercia del la comercia de la comercia del la comerc

TELEKESI, Gesane

Five years' experiences at the political schools maintained by the Trade Union of Workers in Commerce, Finance and the Catering Industries. Munka 12 no.12:22-23 D 162.

l. Kereskedelmi, Penzugyi es Vendeglatoipari Dolgozok Szakszervezete kulturalis osztalyanak vezetoje.

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

TELEKESI, Gezane

位据製作。在一

Museum Month arranged by the Trade Union of Workers of Commerce, Finance and the Catering Industries. Munka 13 no.5:29 My 163.

1. Kereskedelmi, Penzugyi es Vendeglatoipari Dolgozok Szakszervezete Kultuarlis es Tajekoztatasi Osztaly vezetoje.

THE RESIDENCE HER PROPERTY OF THE PARTY OF T

HUSZAR, Istvan, a muszaki tudomanyok kandidatusa; TFLEKI, Elemer (Miskole)

Shape factors of rods weakened by coupled notches. Muszaki kozl MTA 28 no.1/4:3-12 '61. (ERAI 10:9)

1. Nehezipari Muszaki Egyetem, Mechanikai Tanszek, Miskolc. (for Teleki).

(Rods) (Strains and stresses)

于5年10年5月6日6日日日本。13年末2世紀日日日1日日本大学10年11日 - 120年7

YUG /2-58-10-7/24 Teleki, Endre, Engineer AUTHOR: Superphosphate Then and Now (Superfosfat juce i danas) TITLE: Kemija u industriji, 1958, Nr 10, pp A-59 - A-60 PERIODICAL: The article deals briefly with the history of superphosphate production in Europe, with particular reference to the Yugo-ABSTRACT: slavian "Zorka" Chemical Plant in Subotica. The plant is equipped with 3 Keller reactors with a total annual output of 80,000 tons of superphosphate fertilizer. The "Zorka" Plant in Sabac has a "Moritz-Staendert" Apparatus for the continuous production process with a capacity of 20 tons/hr, or a yearly output of 120,000 tons. "Moritz-Staendert" the new superphosphate equipment will also be used at plants at Prahovo (575,000 tons) and Trepca (250,000 tons). The "Zorka" Plant in Subotica has an American "Broadfield" mixer with a yearly output of 120,000 tons and is the only superphosphate plant in Yugoslavia to possess a granulation shop, where 70,000 tons of granulated fertilizer a year are Card 1/2

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

Superphosphate Then and Now

YUG /2-58-10-7/24


produced with the "Davison" apparatus. The shop was put into trial operation at the beginning of 1958. There are 3 photos.

ASSOCIATION: Hemiska industrija "Zorka", Subotica ("Zorka" Chemical Plant, Subotica)

Card 2/2

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

TOPY IN THE TREE BETTER THE PROPERTY OF THE PR



3(1)

AUTHOR:

Teleki, G.

SOV/33-35-6-11/18

TITLE:

Rapid Determination of the Declination Errors of the Talcott Pairs in the Intervals of Insignificant Changes , of the

Program of Latitudes

PERIODICAL:

Astronomicheskiy zhurnal, 1958, Vol 35, Nr 6, pp 917-924 (USSR)

ABSTRACT:

The author presents a new method for the quick determination of the declination errors of the Talcott pairs before the annual cycle will be closed. The method is applicable in the intervals of changes in the observation programs, in particular for the SIR (Service Internationale Rapide).

There are 2 tables.

ASSOCIATION: Belgradskaya Observatoriya, Yugoslaviya (Beograd Observatory,

SUBMITTED:

December 2, 1957


Card 1/1


SEVARLIC, B.; TELEKI, G.; PETOVIC, Z.; DJOKIC, M. [Dokic, M.]

Observations by zenithal telescope of 110 mm. of the Latitude Service of the Observatory. Bul Obs Beograd 24 no.1/2:2-3 '59. (published 1960) (EEAI 9:9)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

是一个工作,不是一个一个工作,不是一个一个一个工作。





SEVARLIC, B. M.; TELEKI, G.; PETOVIC, Z.; DJOKIC, M.[Dokie]

Observations with the 110 mm. zenith telescope at the Latitude Service of the Observatory of Belgrade. Bul Obx Beograd 24 no.3/4:6 1959 (pub. 160) (EEAI 10:9)

(Astronomy) (Telescope) (Latitude)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

SEVARLIC, B.M.; TELEKI, G.

Design of a new program for the Latitude Service of the Observatory of Belgrade. Bul Obs Beograd 24 no.3/4:19-27 1959 (pub. '60) (EEAI 10:9)

(Latitude)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

SEVARLIC, B.; TELEKI, G.

Program of determining the declinations of 36 stars at the zenith telescope. Bul Obs Beograd 24 no.3/4:27-30 1959 (pub. *60) (EEAI 10:9)

(Telescope) (Stars)

New formulas and tables for calculating the annual variations of
Bessel's constants. Bul Obs Beograd 24 no.3/4:30-31 1959 (pub. '60)
(EEAI 10:9)

(Astronomy) (Stars) (Bessel's functions)

TELEKI, G.; GRUJIC, R.; DJOKIC, M.

Observations with the 110 mm zenithal telescope of the Latitude Service of the Observatory. New program. Bul Obs
Beograd 25 no.2:49-55 '63.

TELEKI, G.; DJOKIC, M.; GRUJIC, R.

Observations with the 110 mm zenithal telescope of the Latitude Service of the Observatory. Old program. Bul Obs Beograd. 25 no.2:56-60 '63.

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

TELEKI, G.; SEVARLIC, B.M.

4. 体膜翻翻针针针

Comparison between the old and the new program of the service of latitude of the Belgrade Observatory, based on simultaneous observations made in 1960. Bul Obs Bengrad 25 no.3:73-86 164.

CIA-RDP86-00513R001755210010-9" APPROVED FOR RELEASE: 07/16/2001

TELEKI, Jozsef, dr.; LAKY, Laszlo, dr.

Primary funicular sarcoma. Magy. sebeszet 14 no.2:138-140 Ap '61.

1. MAV Korhaz es Kozponti Rendelo kozlemenye (Igazgato foorvos: Dr.

(SARCOMA case reports) (SEMINAL VESICLES neopl)

DINCULESCU, Tr., prof.; BINSTOC, O., dr.; SDIC, L., dr.; DUMITRESCU, St., dr.; TELEKI, N., dr.; SLAVESCU, Vl., dr.


Considerations on balneo-physical therapy of vertebral lumbosciatica. Med. intern. 14 no.7:865-869 Jl '62.

1. Institutul de Balneologie, Bucuresti.
(SCIATICA) (LUMBOSACRAL REGION) (BALNEOLOGY)
(PHYSICAL THERAPY)

IRVING, Rezsone; TUDOS, Ferenc; TELEKI, Piroska

Initiated polymerization of styrol by sulfinic acid. I. Polymerization of styrol in the presence of p-toluolsulfinic acid as well as of benzcyl peroxide-p-toluolsulfinic acid system. Magy kem folyoir 66 no.10:415-422 0 160.

l. Kabel- es Muanyaggyar Kozponti Laboratarium, Budapest; Magyar Tudomanyos Akademia Kozponti Komiai Kutato Intezete, Budapest; es Budapesti Muszaki Egyetem Muanyag- es Gumiipari Tanszeke.



TELEKONUKA, U.

Marginal remarks on this year's glass and ceramic exhibitions. Riuletyn. p. 1

SZKLO I CEPATIKA. (Centralne Zarzady Przmyslu Szklarskiego i Gerendernego oraz Stowarzyszenie Naukowo-Techniczne Inzynierow i Technikow Przemyslu Chemicznego) Warszawa, Poland, Vol. 10, no. 9, Sept. 1959.

Monthly list of East European Accessions (EPAI) LC, Vol/no. 2, Feb. 1966.
Uncl.

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

於是自己的 经基础 化自然发动 安阳 允许证

TELETT, Sy.

Machanization of machanical actimating. p. 10, UJITOK LAPUA, Decimpost, Vol. 7, no. 13, July 1985.

30: Monthly List of East Suropean Accessions, (EAAL), LC, Vol. 4, no. 10, 600. 1955,

GINSBURG, V.A.; MARTYNOVA, L.I.; DUBOV, S.S.; TELEL BAUM, B.I.; YAKUBOVICH, A.Ya.

Structure of adducts of triflucronitroso methane with unsaturated compounds. Zhur. ob. khim. 35 no.5:851-857 My '65.

(MIRA 18:6)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

TELEMAC, A.; ALBU, L.

Labor productivity in light industry; calculating methodology. p.47.

INDUSTRIA USCARA. (Asociatia Stiintifica a Inginerilor si Tehnicienilor din Rominia si Departamentul Industriei Uscare din Ministerului Industriei Bunurilor de Consum) Bucuresti, Remania. Vol. 6, no. 2, Feb. 1959.

Monthly List of East European Accessions (EEAI) IC, Vol. 8, no. 7, July 1959

Uncl.

THIEMAC, A.; ALH, L.

Determining the admissible wage fund in light-industry enterprises. p. 123.

INDUSTRIA USOARA. (Asociatia Stiinifica a Inginerilor si Tehnicienilor din Rominia si Departamentul Industriei Usoare din Ministerului Industriei Punurilor de Consum) Pucuresti, Rumania, Vol. 6, no. 4 Apr. 1959.

Monthly List of East European Accessions (EFAI), LC. Vol. 8, no. 9, Sept. 1959

TELEMAC, A.; ALBU, L.

The methodology of computing the labor productivity in light industry. p. 3.

INDUSTRIA TEXTILA. (Asociatia Stiintifica a Inginerilor si Technicienilor din Rominia si Ministerului Industriei Uscare) Bucuresti, Rumania. Vol. 10, no. 1,

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 6, June 1959.


TELUMAC, A.; ALBU, L.


Determining the admissible wage funds in the enterprises of light industry.

IMDUSTRIA TEXTILA. (Asociatia Stiintifica a Incincrilor si Tehnicienilor din Rominia si Ministerul Industriel Usoare)
Bucuresti, Rumania
Vol. 10, no. 5, May 1959.

Monthly list of Eastern European Accession Index (EEAI) IC vol. 8, no. 11 Uncl.









TELEMAN, C.


On a class of Riemann symmetrical spaces. In French. p. 445.

REVUE DE MATHEMATIQUES PURES ET APPLIQUEES. JOURNAL OF PURE AND APPLIED MATHEMATICS. (Academia Republicii Populare Romine) Bucuresti. Rumania. Vol. 2, 1957.

Monthly List of East European Accessions (EEAL LC Vol. 9, no. 1, January 1960.







Prominent people in mathematics; academician Sheorghe Vranceanu; 40 years of activities in high education. Gaz mat fiz 13 nc.12: 641-659 D '61.

GOROIANU, V.; ONACA, V.; ERATU, I.; TELEMAN, M.; TELEMA, G.

Troubles of glycoregulation during the preoperative phase of the ulcerative disease. Emmanton M. Rev. 2 no.1:27-28 Jan-Mor 58.

(BLOOD SUGAR, preop. glycoregulation disord. in peptic ulcer)

(PEPTIC ULCER, blood in preon. glycoregulation disord.)

TELEMAN, S.

中国温暖的。中

On the Euler-Poincare-Hopf formula,. In French. 551.

REVUE DE MATHEMATIQUES PURES ET APPLI UEES. JOURNAL OF PURE AND APPLIED MATHEMATICS. (Academia Republicii Populare Romine) Bucuresti. Rumania. Vol. 2, 1957.

Monthly List of East European Accessions (DEAL) LC Vol. 9, no. 1, January 1966.

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

TELEMAN, Silviu

"The Method of Orthogonal Projection in the Theory of Elasticity."Revue de Mathematiques Pures et Appliques, Vol i, No. i, 1956.

On the first problem of self vibration of an elastic body. Rev math pures 4 no.4:665-684 '59. (EEAI 10:9) (Elasticity) (Vibration) (Boundary layer) (Spaces, Generalized) (Groups, Theory of) (Functions)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

S/044/62/000/012/026/049 A060/A000

AUTHOR:

Teleman, Silviu

TITLE:

Compact sets of summable functions

PERIODICAL:

Referativnyy zhurnal, Matematika, no. 12, 1962, 82, abstract 12B379 (Rev. math. pures et appl., (RPR), 1961, v. 6, no. 4, 659 - 684;

1

French)

TEXT: Let G be a locally compact group with a left-invariant Haar measure μ . The author studies the conditions of compactness of subsets of the space L^p_μ (G). Generalizations are obtained of the corresponding results of Kolmogorov, Tamarkin, Tulaykov, M. Riess and Rellikh referring to the case when $G = \mathbb{R}^n$ and μ is a Lebesgue measure. The set $M \subset L^p_\mu$ (G) is relatively compact if and only if a) $\lim_{n \to \infty} \| u_v * f - f \| = 0$ uniformly with respect to $f \in M$; b) for every $f \in B$

 $\epsilon > 0$ there exists a compact part $K_{\epsilon} \subset G$ such that for all $f \in M$ we have

$$\left(\int_{CK_{p}} |f(x)|^{p} d\mu(x)\right)^{1/p} < \varepsilon;$$

Card 1/2

Compact sets of summable functions

\$/044/62/000/012/026/049 A060/A000

c) M is bounded in L^p_μ (G). Then B is a left-filtering naturally ordered set of compact neighborhoods of unity $\cdot e \cdot G$, and $\cdot u_v \cdot (x) = [\mu(v)]^{-1} \cdot \phi \cdot (x)$, where ϕ_v is the characteristic function of the set v. The independence of the conditions a), b), c) is investigated. Let $D \subseteq \mathbb{R}^n$ be an open set, M be a bounded (in the sense L^p (D)) subset of differentiable functions with uniformly bounded gradients. For every compact part of $K \subseteq D$ the restrictions of functions from M onto the set K form a relatively compact part of the space L^p (K). The problem is investigated as to the compactness of sets of functions specified on G with respect to measure convergence. If the left and right uniform structures of the locally compact topological group G coincide, then the group G is unimodular.

V.E. Lyantse

[Abstracter's note: Complete translation]

Card 2/2

5/044/63/000/001/021/053 A060/A000

AUTHOR:

Teleman, Silviu

TITLE:

On the first problem of natural oscillations of an elastic body

PERIODICAL:

Referativnyy zhurnal, Matematika, no. 1. 1963, 60, abstract 1B282 (Studii și cercetări mat. Acad. RPR, 1961, v. 12, no. 2, 393 - 412

Rumanian; summaries in Russian, French)

The author demonstrates the existence of a complete system of gener-TEXT: alized characteristic vectors for the problem of natural oscillations of a homogeneous isotropic elastic medium.

I. Panich

Abstracter's note: Complete translation

Card 1/1

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R001755210010-9

L 2h122-66 EMT(d)/FFD/FFS-2/LEC(k)-2/EWA(d)/I-: LUF(c) BC/MR SOURCE CODE: UR/0317/65/000/011/0008/0014

AUTHOR: Bobrovskiy, V. (Engineer; Colonel); Telen', O. (Engineer; Colonel)

ORG: none


TITIE: Air-to-ground missile-guidance systems enumerated

SOURCE: Tekhnika i vooruzheniye, no. 11, 1965, 8-14

TOPIC TAGS: missile component, missile guidance, missile guidance system, missile navigation, air to surface missile

ABSTRACT: In an article discussing guidance systems used in modern air-to-ground missiles (see Fig. 1), it is stated that the history of missile-weaponry development began on 20 August 1939, when for the first time Soviet aircraft armed with unguided air-to-air missiles flew into combat in the Ha-lo-hsin River region (Soviet-Japanese border incident). In 1942 Soviet pilots made large-scale missile attacks on ground targets in the defense of Stalingrad, thus introducing air-to-ground missiles. Today's tactical aircraft are said to be equipped with air-to-ground missiles with a range of tens of kilometers. High accuracy is required since tactical bombers and fighter-bombers supporting ground troops must strike missile and artillery

Card 1/2



TEMENOUT, T. T.

"The Physical Development of Chiliron in the Kinderjartens of the Trunzenskiy Trea of the Sity of Mascow During the First Tive Postwar Year ." Camb Med Sci. Sentral Inst for the Livanced Training of Physicians, 30 Sep 54. (M., 17 Sep 54)

30: Sum 438, 29 Lar 55

YELOCHKINA, Ye. I., kand. mid. nauk.; TELENCHI, V.I., kand.

Hygienic study and evaluation of technical instruction in Moscow school shops. Gig. i san. 23 no.12:31-35 D '58. (MIRA 12:1)

hyg. assessment of polytechnical workshops in schools (Rus))
(INDUSTRIAL HYGIENE
same)

o object secondary dependent in the first second of the second of the second of

TELENCHI, V.I., assistent

Speech phonetics in children of preschool age as one of the indices of physical development. Gig. i san. no. 10:13-18 0 160.

(MIRA 13:12)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

THE PROPERTY WITH THE PROPERTY OF THE PROPERTY

TELENGA, M.A. [Telenha, M.A.]; BOYKO, N.L. [Boiko, N.L.]

Reproductive system of the females of ichneumon flies and change in its structure in the process of evolution (Hymenoptera, Parasitica). Pratsi Inst. zool. AN URSR 20:229-234 64.

ZVEREZONB-ZUBOVSKIY, Ye.V.; TELENGA, N.A., professor.

公民籍的2000

V.P.Pespelov's rele in developing biological control methods for harmful insects of the U.S.S.Z. Mauch.trudy Inst.ent.i fit. 2:7-11 '50. (NIBA 9:2)

l.Chlen-korrespendent Akademii nauk Ukrainskey SSR (for Zveresemb-Zubevskiy. (Insects, Injurious and beneficial--Biele gical control)


APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"


energy apper management and appearance of the property of the control of the cont


THIRDA, H.A., professor.


Theoretical basis and principal methods of using entemphagous insects in the biological control of insect pests. Mauch.trudy Inst.ent.i fit. 2:12-41 '50. (MIRA 9:2) (Insects, Injurious and beneficial-Biological control)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"









TELENGA, M. A.

USSR/Biology - Agricultural Pests Feb 51


"Experience Acquired in Large-Scale Application at Smela Rayon, Kiev Oblast, of the Biological Method for Combatting Agrotis segetum," Prof M. A. Telenga

"Visnik Akad Nauk Ukrain RSR" Vol 23, No 2, pp 53-61

Gives detailed account of work on the application of trichogrammae for the extermination of Agrotis segetum (Euxoa), an insect which damages cereal crops.

- 1. TELENGA, N. A.
- 2. USSR (600)
- 4. Insects, Injurious and Beneficial Biological Control
- 7. Role of entomorphaga in mass reproductive insects. Zool zhur No. 1 1953.

9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.



TELENCA, N.A.

Systematics of braconid ichneumon flies of the genera Chelonus Jur. and Chelonella Szepl. (Hymenoptera, Braconidae). Zool.zhur. 32 no.6:1175-

l. Institut entomologii i fitopatologii Akademii nauk Ukrainskoy SSR. (Ichneumon flies)

TELENGA, N. A.

Proiskhozhdenie i evoliutsiia parazitizma u nasekomykh-naezdnikov i formirovanie ikh fauny v SSSR (Origin and evolution of parasitism in ichneumon flies and their development in the U. S. S. R.) Kiev, Akad. nauk Ukr. SSSR, 1952 137 p.

SO: Monthly List of Russian Accessions, Vol. 7, No. 6, Sep. 1954

OSYCHNYUK, Anna Zakharovna [Osychniuk, H.Z.]; TELENGA, M.A. [Telenha, M.A.], doktor biolog.nauk, otv.red.; BCORMOVA, T.L. [Bohdanove, T.L.], red.izd-va; LISOVETS, O.M. [Lysovets', O.M.], tekhn.red.

[Bees of the right-bank area of the Ukrainian steppe] Bdsholyni (Apoidea) pravoberoshnoho stepu Ukrainy. Kyiv, Vyd-vo Akad.nauk URSR, 1959. 90 p. (MIRA 13:2)

(Ukraine-Bees)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

507/21-59-2-25/26 30(1) Telenga N.A. (M.A. Telenga AUTHOR: New Egg Parasite Species of Zabrus Tenebrioides and Other Carabidae, Teleas Caraboides sp.nov. (Scelic-TITLE: nidae, Hymenoptera) (Novyy vid parazita yaits khlebnoy i nekotorykh drugikh zhuzhelita Teleas Caraboides sp.nov. (Scelionidae, Hymenoptera)) Dopovidi Akademii nauk Ukrains'koi RSR, 1959, Nr 2, PERIODICAL: pp 214-216 (USSR) In this article the author describes a new species of egg parasite of Zabrus tenebrioides and of cara-ABSTRACT: buses of Amara and Harpalus genera, found in the Odesskaya oblast', Kirovogradskaya oblast' and Sum-skaya oblast'. It breeds twice a year, is primarily represented on virgin and fallow fields. Its activity with respect to the destruction of the eggs of grain parasites has not yet been sufficiently studied. Card 1/2

TELENGA, N. A.

"Fundamental Laws of the evolution of parasitism of the ichneumon fly from the point of data on the family of braconidae (Hymenoptera)," (p. 159) by N. A. Telenga.

50: Journal of General Biology (Zhurnal Obschei Biologii) Wolume II No. 1, 1941.


TELENGA, N. A.

A manual on the multiplication and use of trichogrammas in the farm crop pests Kiev, Izd-vo akademii nauk ukr. SSR, 1949. 97 p.

DA

是15人。15人,是15人的第一人,15人的第一人,15人的第一人,15人的第一人,15人的第一人,15人的第一人,15人的第一人,15人的第一人,15人的第一人,15人的第一人,15人的第一人,15人的第一人,15人的

1. Insects, Injurious and beneficial - Biological control



TELENCA, N. A., professor.

Importance and ways of using parasites of seminivorous insects of clover. Nauch.trudy Ins.ent.i fit. 5:55-72 *54. (MLRA 9:1)

(Glover--Diaseases and pests) (Insects, Injurious and beneficial-Biological control)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

TELENCA, N.A., professor.


Biology of the San José scale and its parasites in the western

Biology of the San José scale and its parasites in the western

Ukraine. Nauch. trudy Ins.ent.i fit. 5: 91-105 154. (MIRA 9:1)

(Ukraine-San José scale) (Parasites--San José scale)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"



TELENGA, N.A.: PAVLOVSKIY, Ye.N., akademik, glavnyy redaktor; BYKHOVSKIY, B.Ie., redaktor; VINOGRADOV, B.S., redaktor; STRELKOV, A.A., redaktor; BORKHSENIUS, W.S., redaktor; KHYZHANOVSKIY, O.L., redaktor; SMIRNOVA, A.V., tekhnichaskiy redaktor.

Hymenoptera: family Braconidae, subfamily Microgasterizae, subfamily Agathinae. Famna SSSR 5 no.4:3-312 155. (MIRA 8:5)

1. Direktor Zoologicheskogo Instituta Akademii nauk SSSR (for Pavlovskiy).

(Hymenoptera)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

TELENGA, N.A.; ZHIGAYEV, G.N. Preseeding treatment of sugar best seeds with 12 benzene hexachloride dust in controlling sugar best weevils. Hauch.trudy Inst ent. i fit. AN URSR 7:88-95. '56. (Benzene hexachloride) (Seeds-Disinfection) (MIRA 10:3)

(Sugar beets-Diseases and pests)

CIA-RDP86-00513R001755210010-9" APPROVED FOR RELEASE: 07/16/2001

的可能的行行


To set to seek which the season was the common of the comm

TELENGA, N.A.

Study of Trichogramma evanescens Vestw. and T. pallida Meyer (Hymenoptera, Trichogrammatidae) and their use for controlling harmful insects in the U.S.S.R.[with summary in English]. (MLRA 9:10) Ent oboz. 35 no.3:599-610 156.

l.Institut entomologii i fitopatologii Akademii nauk USSR, Kiyev. (Chalcid flies)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"



USSR/General and Specialized Zoology - Insects.

P.

Abs Jour

: Ref Zhur - Biol., No 9, 1958, 40057

Author

: Telenga, N.A.

Inst Title

The Employment of Muscardine Fungi in the Control of the

Sugar-beet Weevil.

Orig Pub

: Zashchita rast. ot vredit. i bolezney, 1957, No 3, 29.

Abstract

: Maize serves as a basis for the mass propagation of muscardine. After the growth of the fungus, the seeds are dried and ground into flour. This biological preparation (BM) preserves its effectiveness for at least a year, and is used as a dust or suspension. The weevils died from muscardine: 46.6%-55.2% in the control. On the introduction of BM (5 kg/hectare) into the soil - 65.7%. On the introduction of hexachlorocyalohesane (HCCH) - 70.0; on an introduction of BM and HCCH with hums in a cultivator-

Card 1/2

- 25 -

USSR/General and Specialized Zoology - Inscess.

P.

Abs Jour : Ref Zhur - Biol., No 9, 1958, 40057

82.6, EM and HCCH (with seeds) - 83.3%, at a dusting with EM of the beet seeds prior to planting - 85-89%. A sharp increase in death from muscardine was observed at a soil density of more than 24-25 kg/cm², which was attained by rolling a heavy roller thrice immediately after planting. As a result of this rolling of the soil when the processes of oxidation in the beetles were disturbed, the use of EM and HCCH sharply increases the death of the beetles from muscardine. -- A.P. Adrianov.

Card 2/2

TELEFGA, N.A.

Aphidius species parasitic on plant lice in Central Asia. Usb. biol. shur. no.2:51-56 *58. (MIRA 11:10)

1. Institut entomologii i fitopatologii Akademii sel'skokhosyaystvennykh nauk USSR.

(Soviet Central Asia--Ichneumon flies) (Parasites--Plant lice)

NIKOFOROV, A.M.; TELEHGA, N.A.

Problems pertaining to the biological method. Zashch. rast. ot vred. i bol. 3 no.4:57 Jl-Ag '58. (MIRA 11:9)

(Insects, Injurious and beneficial--Biological control)

TELENGA, N.A. [Telenha, M.A.]

New species of egg parasite of Zabrus tenebroides and other Carabidae, Teleas caraboides sp. nov. (Scelionidae, Hymenoptera). Dop.AN URSR no.2:214-216 '59. (MIRA 12:5)

1. Ukrainskiy nauchno-issledovatel'skiy institut zashchity rasteniy. Predstavil akademik AN USSR A.P. Markevich [0.P. Markevych].

(Ukraine--Parasites--Ground beetles) (Ukraine--Scelionidae)

TELENGA, N.A. Materials on braconids and ichneumons (Eymonoptera) of Armenia. Izv. AN Arm. SSR. Biol. nauki 12 no.6:85-88 Je '59. (MIRA 12:10) 1. Institut zemledeliya Ministerstva sel'skogo khozyaystva ArmSSR. (Armenia -- Ichneumon flies)

> APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

TELENGA, N.A., prof.

Problem of the biological method at the 4th Congress of the All-Union Entomologic Society. Zashch. rast. ot vred. i bol. 5 no.9:58-59 5 *60. (MIRA 15:6) (Insects, Injurious and beneficial—Biological control)

VASIL'YEV, V.P., akademik; TELENGA, N.A., doktor biolog.nauk, prof.

What the scientists of the Uzbek Institute of Flant Protection are working on. Zashch.rast.ot vred.i bol. 5 no.2:33-34 F 160.

(MIRA 15:12)

1. Ukrainskaya akademiya sel'skokhozyaystvemnykh nauk, direktor Ukrainskogo nauchno-issledovatel'skogo instituta zashchity rasteniy (for Vasil'yev).

(Uzbekistan-Plants, Protection of-Research)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

TELENGA, N.A.

"Le probleme de l'utilisation des micro-organismes entomopatholgenes combination avec les insecticides."


Report submitted to the 2 nd Intl. Colloq. on Insect athology and Microbiological Control Paris, France 16-24 Oct 1962

Dates for dusting pea fields against the weevil. Zashch.rast.ot vred.i bol. 7 no.5:26-27 My 162. (MIRA 15:11)

(Pea weevil--Extermination) (Spraying and dusting in agriculture)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

Jacob Carlos Addition Control Control



TELENGA, N.A., doktor biolog. nauk; SIKURA, A.I., kand. biolog. nauk; DULO, V.Yu.; SMETNIK, A.I.

Using beauverin with DDT for controlling the Colorado beetle. Zashch. rast. ot vred. i bol. 8 no.4:48-49 Ap '63. (MIRA 16:10)

1. Nachal'nik Zakarpatskoy karantinnoy inspektsii (for Dulo). 2. Direktor Zakarpatskoy oblastnoy karantinnoy laboratorii (for Smetnik).

(Ukraine—Potato beetle—Riological control) (Beauveria) (DDT (Insecticide))

Telesypture it.

TELENGATOR, H., kand, tekhn. mauk; TERNSHCHERKO, A., ingh.

State grain mills during 40 years. Muk.-elev. prom. 23 no.11:26-27 N 57. (MIRA 11:1)

1. Vsesoyuznyy nauchno-issledovatel skiy institut zerna i produktov yego pererabotki (for Telengator).2. Gosudarstvennaya planovaya komissiya Soveta Ministrov RSFSR (for Tereshchenko). (Grain milling)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

条件表现的时间,这一点,这个人的一个人的一个人的一个人的一个人的一个人的一个人的一个人的一个人的一个人的一	现在,12、10年至中17年,12年2月2日,12日,12日 12日,12日,12日,12日,12日,12日,12日,12日,12日,12日,
TELENGATOR, X. A.	
Preparation and repair of the working suffaces of grain milling machines	1947
DA	
1. Milling machinery - Maintenance and repair.	

USSR/General Problems of Pathology - Tumors

ij**"**4

Abs Jour : Rof Zhur - Biol., No 7, 1958, No 32594

: Tolongetor Yo. M., Poysekhovich I.M. Author

: Not Given

: Antiblestic Activity of Aniline-N-oxydiothylonimin-phosphine Inst Title

(Drug 1-4).

Orig Pub : Brachobn. dolo, 1957, No 7, 717-724.

Abstract : The anti-tumor activity of A-4 was tested in some strains of transplanted tumors. 1-4 was introduced hypodermically 4-10 times, through c day, in doses for rebbits 01,3,5, and less ct 10 mg/kg, for rets 10 mg/kg, for mico 5-7.5 mg/kg. After treatment, for example on the sarcone 45 of rate, retardation wes observed on the tenth and fourth day after its transplantation; respectively 96-98%. Under microscopic exeminrtion of the tumors, necrosis of the tumor was found. An enclogous picture was observed in the tumors of other strains: with the Kroker sercome, Geren carcinome, and during leukomie

: 1/2 Cord

20

USSR/General Problems of Pathology - Tumors

<u>U_4</u>

Abs Jour : Rof Zhur - Biol., No 7, 1958, No 325,4

in hens. The growth of the Brown-Pierco epithelions is elso reterded. According to the general action of \hbar -4 in the organism it is analogous to other ethylenimines. It exerts an influence first on the hematopoietic ergans, by causing in cases where toxic doses are given aplaste of the marrow, attrophy of the spleen and leukopenia.

Cerd : 2/2

TELENGATOR, Ta.M., starshiy nauchnyy sotrudnik; KORENEVSKIY, L.I., starshiy nauchnyy sotrudnik (Kiyev)

Symposium on problems of drug and hormone therapy of malignant tumors. Vrach.delo no.11:1215-1217 N *59. (MIRA 13:4) (CANCKR) (HORMONE THERAPY) (CHEMOTHERAPY)

PEYSAKHOVICH, I.M.; TELENGATOR, Ya.M.; PROTSENKO, L.D. (Kiyev)

Antiblastomatic effect of 1,4-dioxyphenyl-0,0-bis-diethylenediamide of phosphoric acid. Arkh.pat. 21 no.6:67-72 59. (MIRA 12:12)

1. Iz Ukrainskogo nauchno-issledovatel skogo sanitarno-khimicheskogo instituta.

(CYTOTOXIC DRUGS, off.

1,4-bis(0-diasiridinylphospho)-benzene, antiblastomatic eff. in rats & chickens (Rus))
(NEOPIASMS, exper.

eff. of 1,4-bis(0-diaziridinylphospho)-benzene in rats & chickens (Bus)

PEYSAKHOVICH, I.M., professor; SOLOGUB, P.Ya.; TELENGATOR, Ya.M. (Kiyev)

Influence of thic compounds on the antitumor action of some ethyleninene's. Pat. fiziol. i eksp. terap. 4 no.3:43-46 My-Je '60.

(MIRA 13:7)

1. Iz Ukrainskogo sanitarno-khimicheskogo instituta (dir. - prof. N.I. Luganskiy).

(CYTOTOXIC DRUGS) (THIOLS)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

自己的复数 100 日

PEYSAKHOVICH, Iosif Mironovich, prof.; KOL'NER, Rakhil' Yul'yevna; KORENEV-SKIY, Leonid Ivanovich; LEVCHUK, Georgiy Antonovich; MAZURENKO, Nikolay Petrovich; POLCHSKIY, Boris Leonidovich; SAVITSKIY, Vasiliy Nikolayevich; TELENGATOR, Yakov Moisyevich; UMANSKIY, Yulian Aleksandrovich; GLUZMAN, F.A., red.; RAYZ, A.L., tekhn. red.

[Drug therapy for malignant tumors] Khimioterapiia zlokachestvennykh opukholei. Kiev, Gos. med. izd-vo USSR, 1961. 304 p. (MIRA 14:11)

(CANCER)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

4vn (4mmn (4sh - 48 fr) 3 (2930/62/000/000)

AUTHOR: Peysakhovich, I. M. (Kiev); Telengator, Ya. M. (Kiev); Sologub, P. Ya. (Kiev)

TITLE: Dynamics of histochemical and morphological changes in animal internal organs shortly after total X-irradiation 19

ACCESSION NET ATTOCETE

SOURCE: K voprosem renney diagnostiki ostroy luchevoy bolezni; sbornik neuchnykh rabot. Kiev, Medgiz USSR, 1962, 62-77

TOPIC TAOS: cytochemical changes, morphological changes, internal organs, X-irradiation, nucleic acids, alkaline phosphatase activity, sulfhydryl groups, liver glycogen, ascorbic acid

ABSTRACT: Changes in nucleic acids, alkaline phosphatase activity, sulfhydryl groups, liver glycogen, and ascorbio acid were investigated shortly after single dose irradiation and compared with the structural changes taking place in the organism. White rats were exposed to single total doses of 2,000, 1,000, 500 and 200 r. Then the spleen, liver, small intestine, and adrenal glands were tested by histochemical methods (of Feligen, Brashe-Beyker, Gomori, Zhiru and Leblon, Shevremon and Frederick, and Bauer) and other methods.

生产生产品,在1980年的1971,但是在1980年,然后在1975年的1970年度的自身各种的特殊的基础性的解析<mark>是1980年1982年1982年1982年1982年1982年1982年</mark>

L 17561-63 ACCESSION NR: AT3002364

Results show that 10 to 30 min after large doses of X-irradiation cytochemical and structural changes take place in the form of disturbed nucleoproteid contents in the spleen and in the mucosa of the small intestine. A similar process takes place in the radioresistant organs (liver) but less intensely. Decreases in DNA and RNA content in the spleen and in the small intestine mucosa are also observed for small doses (500 r), but they start much later and proceed more slowly reaching their lowest limit on the third day. For large irradiation doses phosphatase activity is characterized by two change phases: the growth phase and the decrease phase replacing it. Alkaline phosphatase activity increases shortly after irradiation reaching its highest point after 3 hrs. The histochemical increase in alkaline phosphatase activity precedes or accompanies the destructive changes in the karyoplasm and cytoplasm of the parenchymatous elements of the spleen, liver, and small intestine mucosa. Shortly after large doses of irradiation ascorbic acid in the adrenal glands quickly disappears and there is a decrease in the sulfhydryl groups in the liver and the spleen, but the glycogen content in the liver cells changes very little. The varied cytochemical and structural disturbances appearing shortly after irradiation indicate that the action of X-rays initiates

Card 2/B

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755210010-9"

:	ACCESSION NR: AT3002364							0	
	numerous pathological processes which greatly weaken the organism's reactivity and lead to radiation sickness. Orig. art. has: 18 figures.								
	ASSOCIATION: None						Pun	ENCL: 00	
	SUBMITTED: 00			DATE ACQ: 28May63					
•	SUB	CODE:	AM	NO REI	F SOV: OOL	+	OTHER	: 002	
	22777.2	::::::::::::::::::::::::::::::::::::::		***************************************		* 1 · · · · · · · · · · · · · · · · · ·	too the other case discount		
		***		•			1	t	
- ·	1					· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	
			and the same of th						
141			·	•					
					,	·	•		
	i	3/3							